Research on Building Method of Organizational Process Performance Model in **Project Management**

Dexin Huang

CASIC-CQC Software Testing and Evaluation Technology (Beijing) Corporation, Ltd. 21-story 02, No.119 Shuiyin Road Star King Building, Yuexiu District, Guangzhou, China.

878512868@qq.com

Keywords: Organizational Process Performance Model, CMMI, Project Management.

Abstract: This paper proposes a new building method of organizational process performance model, which can achieve better quantitative project management and active project control level by combined with the actual situation and follow the CMMI specifications.

1. Introduction

Based on the organization process performance management mode in CMMI5 high maturity field. the business goals of organizations and quantitative goals of projects are clearly reflected by establishing the organizational process performance baselines and models. The multi-level relationship between progress quantitative monitor and program performance data management is better reflected. The quantitative program management is realized. The active management and control of grid enterprise information project is achieved.

2. The procedure of modeling

Definition: process performance model: This is a parametric model for predicting future results based on historical data

The forecast objectives are determined: According to the organization business goals, the past organizational process improvement recommendations and the capability of current organizational execution process, the forecast goals are determined and recorded as Y.

The forecast model is chosen: the multiple linear regression model $Y=a+b_1*x_1+b_2*x_2+...$ $+b_n*x_n$ is applied in this essay.

The factor X affecting target Y is selected through brainstorming and fishbone diagram.

Acquisition of the raw data.

Stability analysis on target Y and parameter X is performed: normal test based on minitab statistic tool is conducted. target Y is ensured to be table through normal test on the results of this step.

The correlation analysis: The correlation analysis is conducted to parameter X and target Y.

The regression analysis is performed on target Y and parameter X applying regression model built by minitab.

3. Case analysis

Higher software quality requirements for the construction of information system was proposed by an enterprise in 2017. The software quality can be quantified by controlling the number of defects in the acceptance test. It is assumed that Y is defined as "defect density of acceptance test".

Adopting brainstorm method, the relevant indicators of Y was determined, which includes " X_1 = module scale", "X₂= coding workload", "X₃= unit test defect density", "X₄= integrated test defect density", "X₅= system test defect density", and "X₆= trial operation".

The information system project data of the company was collected. A data table was formed to

prepare for modeling by establishing the baseline. It is shown in the following table.

Table 1: Data table

Project name	Module name	Module size	Module workload	Unit test defect density	Integrated test defect density	System test defect density	Trial operation defect density	Acceptance test defect density
Electricity XX	Document portal	12.246	114	1.307	1.062	1.388	0.735	0.653
document manage system	System manageme nt	13.929	130	1.149	0.862	1.723	0.718	0.574
•••••	•••••	•••••	•••••	•••••	•••••	•••••	••••	••••
Safety supervision intelligent	Security check data analysis	14.011	140	1.856	1.142	2.855	0.714	0.928
information system of XX Bureau	Inspection report	16.246	157	0.985	0.800	1.231	0.554	0.492

Normal tests for "module scale", "module workload", "unit test", "integration test", "system test", "trial operation" and "acceptance test" are conducted respectively applying minitab statistical tools. Correlation test is shown as the following table.

Table 2: Result of correlation test

T	Unit test defect density	Integrated test defect density	System test defect density
Integrated test defect density	0.265		
	0.153		
Crystam tost defeat density	0.649	0.197	
System test defect density	0.000	0.296	
Trial amounting defect density	0.678	0.067	-0.000
Trial operation defect density	0.682	0.646	0.676
A sountaines test defect density	0.863	0.291	0.882
Acceptance test defect density	0.000	0.118	0.000

0.8-1.0 is distinct correlation, 0.6-0.8 is strong correlation, 0.4-0.6 is moderate correlation and 0.2-0.4 is weak correlation, according to the Pearson's coefficient. According to the correlation analysis above, it can be determined that the correlation between the number of defects in "unit test" and the number of defects in "acceptance test" is 0.863. The correlation between the number of defects in "system test" and the number of defects in "acceptance test" is 0.882. These are strong correlation. These two factors can be used to establish the regression model.

The data table after determining the correlation is shown as the following table.

Table 3: Data table after determining the correlation

Project name	Module name	Unit test defect density	System test defect density	Acceptance test defect density
Electricity XX System	Document portal	1.307	1.388	0.653
1	System management	1.149	1.723	0.574
•••••	•••••	•••••	•••••	•••••
Electricity XX System	Security check data analysis	1.856	2.855	0.928
n	Inspection report	0.985	1.231	0.493

The regression equation is established applying the minitab tool.

regression analysis: acceptance test defect density (Defects/KLOC) and unit test defect density(Defects/KLOC), system test defect density(Defects/KLOC)

The regression equation is acceptance test defect density (Defects/KLOC)=0.117+0.196acceptance test defect density (Defects/KLOC)+0.148system test defect density(Defects/KLOC) .

Table 4: regression analysis result

Independent variable	Coefficient	Standard error of coefficient	Т	P
Constant	0.11712	0.04962	2.36	0.026
unit test defect density(Defects/KLOC)	0.19569	0.07273	2.69	0.012
system test defect density(Defects/KLOC)	0.14844	0.04228	3.51	0.002

The P value is got through T test on the coefficients. The P value represents the correlation of X value and Y value. The greater the P value, the weaker the correlation. The P value is less then 0.05.

S = 0.0630908 R-Sq = 82.5% R-Sq(modified) = 81.2%

R-Sq represents these predictive variables account for a total of 82.5% of the variance S of the acceptance test defect density.

This value represents the confidence level of the model, and the higher the value, the better the confidence.

The result of variance analysis:

Table 5: Result of variance analysis

Source	Degrees of freedom	SS	MS	F	P
Regression	2	0.50641	0.25320	63.61	0.000
Residual error	27	0.10747	0.00398		
Total	29	0.61388			

Source	Degrees of freedom	Seq SS
unit test defect density(Defects/KLOC)	1	0.45735
system test defect density(Defects/KLOC)	1	0.04906

Seq SS: Sum of squares between groups;

MS: This is the mean squared of the SS over the degrees of freedom

F=factor, MS/error(0.25320/0.00398=63.61). This value can be compared with the critical F found in the table to determine whether a factor is significant.

P: This is used to test the correlation of the factor. If the P value is lower than 0.05, the correlation of the factor is strong.

Abnormal observations:

Table 6: Abnormal observations

	unit test defect	acceptance test defect density (Defects/KLOC)	fitted value		standardized	
observations	density(Defects/K LOC)		fitted value	Standard error	residual	residual
30	0.73	0.7305	0.5010	0.0296	0.2294	4.12R (R indicates that the observed value contains large standardized residuals)

The causes of the abnormal data are analyzed. The acceptance test defect density calculated according to the regression equation is 0.495188. The actual acceptance test defect density is 0.73, which is higher than the value calculated using the regression equation. The reason is that the module

configuration file was not fully configured by the new implementer. This resulted in the abnormal part of the function points, therefore the acceptance test density is higher.

Conclusion: acceptance test defect density (Defects/KLOC)=0.117+0.148system test defect density(Defects/KLOC)+0.196acceptance test defect density (Defects/KLOC) .The model can be used in similar projects to estimate the enterprise target value and regression simulation next year.

4. Summary

The quantitative goals of the business and projects of the organization can be clearly reflected through the establishment of the organizational process performance baseline and model. The quantitative management of enterprise informatization projects can be realized. The model can better practicability after continuous evolution and improvement.

References

- [1] Xiaoqun. He, Wenqin. Liu. The application of regression analysis[M]. Beijing: China Renmin University Press.2001. (In Chinese)
- [2] William D. Berry. Basis for linear regression analysis[M]. Shanghai: Shanghai people's publishing house.2011. (In Chinese)
- [3] Huali. Wang. A case study of multiple linear regression analysis[J]. Science and technology information.2014(29):22-22.
- [4] Jianwen. Yuan. Econometric experiment[M]. Beijing: Science press.2002.(In Chinese)
- [5] Jinmin. Su, Shenyong. Ruan, Yongli. Wang. MATLAB engineering mathematics[M]. Beijing: Electronics industry press.2005.(In Chinese)
- [6] Rilei. Zhao. Hand teaching of performance management: model, method, case and practice[M]. Beijing: Electronics industry press.2016. (In Chinese)